



SECTION 1 — MATERIAL IDENTIFICATION

PRODUCT NAME: StaticWorx Triboshield
Static Dissipating Carpet Treatment

MANUFACTURED FOR: StaticWorx, Inc.
PO Box 590069
Newton, MA 02459
www.staticworx.com

TELEPHONE NUMBER: 617-923-2000

EMERGENCY TELEPHONE NUMBER: 800-255-3924 or Poison Center

SECTION 2 – HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS Number	PEL ppm	TWA ppm	STEL ppm	%
Dieth. Glycol Meth Ether	#111-77-3	N/A	N/A	N/A	<15

*LISTED CHEMICAL SUBJECT TO REPORTING REQUIREMENTS OF SEC.313 OF TITLE III.

SECTION 3 — PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (°F): 215

SPECIFIC GRAVITY (WATER=1): 1.0

VAPOR PRESSURE (mm Hg): 18

VAPOR DENSITY (AIR=1): 1.06

VISCOSITY (CPS): N/A

pH 7.0 +/- .5

APPEARANCE AND ODOR: Light green colored liquid, pleasant odor

EVAPORATION RATE (Butyl Acetate = 1): 0.28

SOLUBILITY IN WATER: Complete

MELTING POINT: N/A

DECOMPOSITION TEMPERATURE: N/A

AUTO IGNITION TEMPERATURE: N/A

SECTION 4 – FIRE AND EXPLOSION DATA

FLASH POINT (°F):	N/A
LOWER FLAMMABLE LIMIT:	N/A
UPPER FLAMMABLE LIMIT:	N/A
EXTINGUISHING MEDIA:	Water Spray
FIRE-FIGHTING PROCEDURE:	Cool containers with water
FIRE AND EXPLOSION HAZARDS:	N/A

SECTION 5 – REACTIVITY DATA

CHEMICAL STABILITY:	Stable
CONDITIONS TO AVOID:	N/A
INCOMPATIBILITY:	Strong oxidizers
POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION OF BYPRODUCT:	Thermal decomposition may yield carbon monoxide

SECTION 6 – HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY:	Ingestion
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	Dermatitis
POTENTIAL HEALTH EFFECTS:	
ACUTE:	Causes eye and skin irritation
CHRONIC:	Redness of skin
CARCINOGENICITY:	No
SIGNS AND SYMPTOMS OF EXPOSURE:	Irritation, redness of skin, eyes.
N.T.P:	N/A
IARC Monographs:	N/A
OSHA Regulated:	N/A

SECTION 7 – FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:	Wash contact areas with plenty, 15 minutes
INGESTION:	DO NOT INDUCE VOMITING. Call physician immediately.

SECTION 8 — PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:	Dispense sand, sawdust, or vermiculite. Collect and place in plastic waste container. Wash area thoroughly with water. Flush small amounts (biodegradable).
WASTE DISPOSAL METHOD:	Use sanitary landfill disposal, (not a hazardous waste) according to federal, state and local regulations. (RCRA; subtitle D)
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Do not mix with other chemicals. Avoid prolonged contact. Keep from freezing.
OTHER PRECAUTIONS:	Store in a secure area. Avoid feed or feed contamination. KEEP OUT OF REACH OF CHILDREN.

SECTION 9 — EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	Not normally required with good ventilation.
VENTILATION:	Assure fresh circulation
EYE/FACE PROTECTION:	Safety glasses recommended.
SKIN PROTECTION:	Rubber or plastic gloves required.
WORK/HYGIENIC PRACTICES	Do not eat or drink next to material. Wash hands after working with material.

SECTION 10 – TRANSPORTATION 49 CFR

OSHA:	Not regulated	REPORT QTY. (lbs.)	N/A
DOT:	Not regulated	LABELS:	None required
UN:	Not regulated		

SECTION 11 – OTHER INFORMATION

HMIS RATING:	Health: 1 Flammability: 0 Reactivity: 0 Personal Protective Equipment: B
HAZARD RATING SCALE:	0 = Minimal; 1 = Slight; 2 = Moderate, 3 = Serious; 4 = Severe

The product manufacturer believes the statements, technical information and recommendations contained herein are reliable. They are given without warranty or guarantee of any kind, expressed or implied.

Vendor assumes no responsibility for injury to vendee or third person proximately caused if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Further more, vendee assumes the risk in use of the material.